

for all common pressfitting systems

German Quality Product

Patent EP 1 952 948



REMS pressing tongs Mini

Very compact design and low weight of the REMS Mini pressing tongs due to special arrangement of the pressing tongs connection (Patent EP 1 952 948).

High-compression pressing tongs in forged and specially hardened steel. Pressing contours of REMS pressing tongs are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs manufactured on CNC production centres ensure high-precision machining of pressing contour. Hence far closer tolerances compared to as cast pressing contour.

Drive through REMS Mini-Press ACC drive unit. Read and follow the installation and assembly instructions of the system provider/manufacturer.


Select pressing tongs Mini yourself!

Search for the required pressfitting system in the opposite table and select the correct pressing tongs size. Please note that pressfitting systems for gas installation may only be pressed with the Mini pressing tongs which are highlighted in yellow in the table.

Traceability according to EN 1775:2007

REMS pressing tongs Mini with pressing contour M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.



Example REMS pressing tongs Mini V: "V" imprint on pressed fitting for traceability according to EN 1775:2007

Hold-Harmless and Indemnification Agreement

See page 142.

Confirmation of suitability

See page 141.



Pressing contours

ACz



B



F



G



H



HA



HE



K



KI



M



MT



RFz



RN



SA



TH

U

UP

US

V

VAU

VIC

VP

VX

VUS

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing contour	Art.-No.
AC-FIX PRESS (Global Piping Systems)	H 12	578396
	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	VX 16	578552
	VX 20	578554
AC-FIX PRESS-MULTI (Global Piping Systems)	H 16	578400
	H 18	578404
	H 20	578406
	H 25	578408
	H 32	578412
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
ACOME MT	ACz 12	578608
	ACz 16	578610
	ACz 20	578612
	ACz 25	578614
AHLSELL A-press elförzinkad	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
AHLSELL A-press koppar	M 28	578318
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
AHLSELL A-press rostfritt	V 35	578604
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
AIRBEL PRESSCLIM	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
AIRBEL SERTINOX	M 28	578318
	M 12	578310
	M 15	578312
	M 18	578314
Albion Valves DZR Brass	M 22	578316
	M 28	578318
	M 35	578390
	TH 16	578352
	TH 18	578356
ALB Sistema Multicapa	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 18	578376
	U 20	578378
	C 26	578392
	U 32	578382
	TH 16	578352
APE Raccordi a pressare	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 40	578386

System	Pressing contour	Art.-No.
ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US ¾"	578534
	US ½"	578536
	US ¾"	578538
	US 1"	578540
Bampi BALPEX (serie MP)	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Bampi BALPEX Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
BARBI EASYPRESS (Industrial Blansol)	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	H 16	578400
	H 18	578404
BARBI MULTIPEX (Industrial Blansol)	H 20	578406
	H 26	578410
	H 32	578412
	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	H 16	578400
	H 18	578404
BEGETUBE/ IVAR	H 20	578406
	H 26	578410
	H 32	578412
	B 14	578466
	B 16	578468
BRASELI Pressfitting PE-X	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	RFz 16	578492
	RFz 20	578494
BRASELI Pressfitting Multicapa	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
Brass Form Press Form Pex	U 40	578386
	H 16	578400
	H 18	578404
	H 20	578406
Brass Form Press Form Pex-Al-Pex	TH 16	578352
	TH 18	578356
	TH 20	578358
	U 16	578374
	U 18	578376
	U 20	578378
	H 16	578400
	H 18	578404
Brass & Fittings RETI-PRESS	H 20	578406
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
BRASSTECH MULTitermoSAN Brasspress	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
	H 16	578400
	H 18	578404

System	Pressing contour	Art.-No.
BUCCHI tech MP	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Business Key MT-PRESS (inox)	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
CHIBRO pressfitting acciaio al carbonio	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
CHIBRO pressfitting inox	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
CHIBRO pressfitting inox gas	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
chronimo SANHA-NiroSan- Presssystem	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 15 ¹⁾	578328
CIMBERIO SpA Cim 220	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15	578312
	M 18	578314
CIMBERIO SpA Cim 1220.1	M 22	578316
	M 28	578318
	M 35	578390
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
CIMBERIO SpA Cim 220G	V 35	578604
	VUS ½"	578566
	VUS ¾"	578568
	VUS 1"	578570
	VUS 1¼"	578606
	SA 15	578514
	SA 18	578518
CIMBERIO SpA Cim 1220M	SA 22	578520
	SA 28	578522
	M 15	578312
	M 22	578316
	M 28	578318
	M 35	578390
	SA 15	578514
	SA 22	578520
	SA 28	578522
	V 15	578328
CIMBERIO SpA CIM 1220V	V 22	578334
	V 28	578336
	V 35	578604
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
Climatek Clima Therm	TH 26	578362
	TH 32	578364

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini which are highlighted in yellow. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For taking suitable pressing inserts.

The suitability of REMS pressing tools for pressfitting systems: Date 07.03.2013. For the updated situation regarding suitability status check our website:

www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing contour	Art.-No.
ClouSet Press	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
Comap	V 12	578324
Sudopress Cu	V 14	578326
Visu-Control	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Comap	V 12	578324
Sudopress Cu	V 14	578326
Visu-Control	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Comap	V 12	578324
Sudopress Cu	V 14	578326
Visu-Control	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Comap	RFz 12	578490
PEXPress	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
Comap	TH 14	578348
SKINPress	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	THL 32	578368
	TH 40	578624
Comap	TH 16	578352
SKINPress	TH 18	578356
	TH 20	578358
	TH 26	578362
	THL 32	578368
Visu-Control Gas		
COMISA	TH 14	578348
Press System	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	B 14	578466
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
COMISA	TH 16	578352
Press System Gas	TH 20	578358
	TH 26	578362
	TH 32	578364
CONEL	F 16	578456
CONNECT	F 20	578460
	F 26	578462
MULTI	F 32	578464
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
Dalpex	TH 14	578348
Laser Multi	TH 16	578352
	TH 18	578356
Dalpex	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Danfoss	U 16	578374
SpeedUp	U 20	578378
FH Composite AL		
Danfoss	U 16	578374
Basic	U 20	578378
FH Composite AL		

System	Pressing contour	Art.-No.
DIWAflex systems	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
DUOFIL	U 16	578374
MKSYSYSTEM	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
DW Verbundrohr	U 16	578374
multitubo systems	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	H 26	578410
	TH 26	578362
	U 32	578382
EBRILLE	U 16	578374
Isomonflex	U 18	578376
	U 20	578378
	U 25	578380
	H 26	578410
	TH 26	578362
	U 32	578382
EBRILLE	U 14	578372
Monflex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	H 26	578410
	TH 26	578362
	U 32	578382
	U 40	578386
EFFEBI	M 15	578312
PRESSTIGE	M 18	578314
	M 22	578316
	M 28	578318
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
EFFEBI TOF	TH 16	578352
MULTIPINZA	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
egeda Comisa	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
egeda Baronio	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Elkhart	VUS ½"	578566
APOLLOXPRESS	VUS ¾"	578568
	VUS 1"	578570
	VUS 1¼"	578606
Fittings Copper		
and Low-Lead		
Brass		
EMMETI	B 16	578468
GERPEX-	B 20	578472
FIVPRESS	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	H 16	578400
	H 20	578406
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378

System	Pressing contour	Art.-No.
EMPUR	TH 14	578348
	TH 15	578350
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 25	578360
EUROTUBI	M 12	578310
Europa C-STAHl	M 15	578312
PRESSFITTING	M 18	578314
SISTEM ¹⁾	M 22	578316
	M 28	578318
EUROTUBI	M 15	578312
Europa INOX	M 18	578314
PRESSFITTING	M 22	578316
SISTEM ¹⁾	M 28	578318
FAR Rubinetterie	TH 14	578348
PRESSFAR	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
F.B.Q. BARONIO	V 12	578324
BQ press	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
F.B.Q. BARONIO	V 15	578328
BQ press	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
F.B.Q. BARONIO	V 15	578328
BQ press gas	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
FELSINEA TECH	TH 14	578348
Felsineapress	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Fercofloor	RFz 16	578492
DUO Press	RFz 20	578494
FERCO PEX	RFz 25	578496
	RFz 32	578498
Fercofloor	RFz 16	578492
DUO Press	RFz 20	578494
MULTIFER	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
FILTUBE	M 15	578312
Instalpress	M 18	578314
Carbon Steel	M 22	578316
	M 28	578318
	M 35	578390
FILTUBE	M 15	578312
Instalpress	M 18	578314
Copper	M 22	578316
	M 28	578318
	M 35	578390
FILTUBE	M 15	578312
Instalpress	M 18	578314
Inox	M 22	578316
	M 28	578318
	M 35	578390
Fimisol	H 14	578398
HAKAPRESS	H 16	578400
	H 17	578402
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing contour	Art.-No.
Fittings Estándar ECO-PRESS	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Fittings Estándar MULTICAPA	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
Fittings Estándar PE-X	U 32	578382
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
FOHS HEIZTECHNIK FOHSPRESS	U 20	578378
	U 25	578380
	U 32	578382
	TH 16	578352
	TH 20	578358
FOHSPRESS	TH 26	578362
	TH 32	578364
FORNARA ForPress	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
	V 12	578324
	V 15	578328
FRABO FRABOPRESS RAME (Cu)	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
FRABO FRABOPRESS RAME (Cu)	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
FRABO FRABOPRESS INOX 316	V 35	578604
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
FRABO FRABOPRESS C-STEEL	V 28	578336
	V 35	578604
	V 15	578328
	V 18	578332
	V 22	578334
FRABO FRABOPRESS C-STEEL GAS	V 28	578336
	V 35	578604
	V 15	578328
	V 18	578332
	V 22	578334
FRABO FRABOPRESS MULTI-BRASS (MB)	V 28	578336
	V 35	578604
	TH 16	578352
	TH 20	578358
	TH 26	578362
FRABO FRABOPRESS MULTI-PLUS (MP)	TH 32	578364
	U 16	578374
	U 20	578378
	H 16	578400
FRABO FRABOPRESS SOLARPRESS	H 20	578406
	U 16	578374
	U 20	578378
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336

System	Pressing contour	Art.-No.
Fränkische alpeX-duo	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Fränkische alpeX F50 PROF	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
(NW 26)	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
Fränkische alpeX-Gas	F 20	578460
	F 26	578462
	F 32	578464
FRIATHERM uni	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
gabotherm H+S	TH 10	578342
	TH 12	578346
	TH 14	578348
	TH 15	578350
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
GAROS	TH 32	578364
	TH 40	578624
	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
Geberit Mapress C-STÄHL	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
Geberit Mapress EDELSTAHL	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
Geberit Mapress EDELSTAHL Gas	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
Geberit Mapress KUPFER	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
Geberit Mapress KUPFER Gas	M 35	578390
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
Geberit Mepla	M 35	578390
	G 16	578444
	G 20	578446
	G 26	578448
	G 32	578450
	G 40	578452

System	Pressing contour	Art.-No.
General Fittings Serie 5S00	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 16	578400
	H 18	578404
	H 20	578406
	H 25	578408
	H 26	578410
Giacomini Raccordi RM Giacomini	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	THL 32	578368
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
	V 15	578328
	V 18	578332
	V 22	578334
Giacomini Valvole Giacomini serie R850V	V 28	578336
	V 35	578604
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	U 16	578374
Ginde Press Fitting for Ginde Multi-layer Pipe System	U 20	578378
	U 25	578380
	U 32	578382
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
GLOBAL TRADE aqualpress system	U 25	578380
	U 32	578382
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	TH 14	578348
	TH 16	578352
Golan Pipe Systems (Scandinavia) Alu-Press	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	V 15	578328
	V 18	578332
GS Wärmesysteme System TH	V 22	578334
	V 28	578336
	V 35	578604
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 16	578352
	TH 20	578358
	TH 26	578362
GS Wärmesysteme System V	TH 32	578364
	TH 40	578624
	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 16	578352
	TH 20	578358
	TH 26	578362
GSP Group USMetrix HAGOS	TH 32	578364
	TH 40	578624
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
HakaGerodur HAKASAN	TH 40	578624
	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 26	578362
	THL 32	578368
	TH 40	578624
	TH 14	578348
	TH 16	578352
Harden 2000 Poly-Pex 2000	TH 17	578354
	TH 18	578356

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini which are highlighted in yellow. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For taking suitable pressing inserts.

The suitability of REMS pressing tools for pressfitting systems: Date 07.03.2013. For the updated situation regarding suitability status check our website:

www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing contour	Art.-No.
Harden 2000 Poly-Pex Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	THL 32	578368
Harden 2000 Plastic-Press	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
HASTINIK Chibro Pressfitting	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
heima-press	M 35	578390
	TH 16	578352
	TH 20	578358
	TH 26	578362
HELIROMA klimapress	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
HELIROMA romapress	U 25	578380
	U 32	578382
	U 40	578386
	RFz 16	578492
	RFz 20	578494
Henco	RFz 25	578496
	RFz 32	578498
	TH 14	578348
	TH 16	578352
Henco Gas	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 16	578352
	TH 20	578358
herotec Tempuss-press	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 14	578348
	TH 16	578352
herotec Tempuss-press Plus	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	MT 20	578560
	MT 25	578562
	MT 32	578564
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
Herz pipefix	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	TH 10	578342
	TH 14	578348
	TH 15	578350
	TH 16	578352
	TH 17	578354
	TH 18	578356
HITEC Sistema Multistrato	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 14	578348
	TH 16	578352
Hydro-Air Systems	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Hydro-Plumb Plus PEX	TH 40	578624
	US ¾"	578534
	US ½"	578536
	US ¾"	578538
Hydro-Air Systems	US 1"	578540
	U 16 (½")	578374
	U 20 (¾")	578378
	U 25 (¾")	578380
PEX-AL-PEX	U 32 (1")	578382

System	Pressing contour	Art.-No.
IBP >B< Flex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
IBP >B< Press	U 40	578386
	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
IBP >B< Press Carbon	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
IBP >B< Press Gas	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
IBP >B< Press Inox	V 22	578334
	V 28	578336
	V 35	578604
	V 15	578328
	V 18	578332
IBP >B< Press Solar	V 22	578334
	V 28	578336
	V 35	578604
	V 15	578328
	V 18	578332
Idrosanitaria Bonomi Homegas	V 22	578334
	V 28	578336
	V 35	578604
	V 15	578328
	V 18	578332
Idrosanitaria Bonomi Idropress	V 22	578334
	V 28	578336
	V 35	578604
	V 15	578328
	V 18	578332
IDROSISTEMI Ta-Press	V 22	578334
	V 28	578336
	V 35	578604
	V 15	578328
	V 18	578332
IPA IPANA-Press	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 18	578376
	U 20	578378
IPALPEX (Industrie du Plastique et Accessoires)	U 25	578380
	U 32	578382
	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	TH 10	578342
	TH 11,6	578344
	TH 12	578346
	TH 14	578348
	TH 15	578350
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
Jäger aquapress H	TH 22	578588
	TH 25	578360
	TH 26	578362
	TH 28	578590
	TH 32	578364
	TH 40	578624
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	THL 32	578368
	TH 40	578624
	TH 14	578348
	TH 16	578352
	TH 18	578356

System	Pressing contour	Art.-No.
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18	578592
	K16/P18	578592
	K/20	578594
	K/25	578596
	K1/32	578598
IPLEX PIPELINES AUSTRALIA Iplex K1 (Gas)	K1/40	578600
	K16/P18	578592
	K/20	578594
	K/25	578596
	M 15	578312
ISOTUBI NUMEPRESS	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
IVAR ALPEX-GAS	B 20	578472
	B 26	578474
	B 32	578476
	B 14	578466
	B 16	578468
IVAR Ivar-Press	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
IVAR MULTI PRESS GAS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
IVAR Multi Press MP	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 18	578404
	H 20	578406
	H 25	578408
	H 26	578410
	H 32	578412
	U 16	578374
	U 18	578376
IVAR Plastic Multi Press PMP	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	U 40	578386
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
Jäger aquapress H	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 20	578406
	H 25	578408
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
Jäger aquapress H	H 14	578398
	H 16	578400
	H 17	578402
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
PEX-AL-PEX	U 40	578386

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing contour	Art.-No.
Jäger	M 15	578312
Niropress Typ M	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
Jaraflex-Presssystem	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
KAN	U 16	578374
KAN-therm	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	U 40	578386
KAN	TH 14	578348
KAN-therm LBP	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 14	578372
	U 16	578374
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	U 40	578386
KAN	M 15	578312
KAN-therm Inox	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
KAN	M 15	578312
KAN-therm Steel	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
KE KELIT	U 16	578374
KELIT KELOX	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
KE KELIT	M 15	578312
steelFIX	M 18	578314
C-Stahl	M 22	578316
	M 28	578318
	M 35	578390
KE KELIT	M 15	578312
steelFIX	M 18	578314
Edelstahl	M 22	578316
	M 28	578318
	M 35	578390
KISAN	KI 16	578524
Kisan	KI 20	578526
Development (KD)	KI 25	578528
	TH 16	578352
	TH 20	578358
	TH 25	578360
KISAN	KI 16	578524
Kisan WL	KI 20	578526
	KI 25	578528
	KI 32	578530
	TH 16	578352
	TH 20	578358
	TH 25	578360
KISAN	KI 16	578524
Kisan WM	KI 20	578526
	KI 25	578528
	KI 32	578530
KISAN	KI 16	578524
Kisan WT	KI 20	578526
KISAN	M 15	578312
Kistal C	M 18	578314
	M 22	578316
	M 28	578318
KISAN	M 15	578312
Kistal Inox	M 18	578314
	M 22	578316
	M 28	578318

System	Pressing contour	Art.-No.
KME Q-tec	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
KLIMAT	TH 16	578352
Effetto Radiante	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	U 25	578380
Largo-Presssystem	U 32	578382
	U 40	578386
	B 16	578468
	B 20	578472
	B 26	578474
Largo-Presssystem	B 32	578476
	TH 12	578346
	TH 14	578348
	TH 16	578352
	TH 18	578356
LECHAR	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
ALCOBRAPEX	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
LECHAR	U 16	578374
COBRAPEX	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
LEGEND-PRESS	VUS 1/2"	578566
press fitting system	VUS 3/4"	578568
	VUS 1"	578570
	VUS 1 1/4"	578606
LK Systems	V 12	578324
LK >B<Press	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12	578324
	V 15	578328
LK Systems	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12	578324
	V 15	578328
	V 18	578332
LK >B<Press	V 22	578334
	V 28	578336
	V 35	578604
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
LK Systems	V 28	578336
	V 35	578604
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
LK >B<Press	V 35	578604
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
LK Systems	TH 16	578352
LK Universal	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624
	TH 16	578352
Mair Heiztechnik	M 12	578310
Gomafix Cu/E ¹⁾	M 15	578312
	M 18	578314
	M 22	578316
	M 25	578318
Mair Heiztechnik	H 11,5	578394
Gomafix M	H 14	578398
	H 16	578400
	H 20	578406
	H 25	578410
	H 32	578412
Mair Heiztechnik	H 11,5	578394
M-Press	H 14	578398
	H 16	578400
	H 20	578406
	H 25	578410
	H 32	578412
Mapress	→ Geberit	

System	Pressing contour	Art.-No.
Ma.s.ter System PRESSMASTER	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
MAXITUB	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
MAXIPRESS	U 40	578386
	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
MAXITUB METALPEX	RFz 32	578498
	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
MEGARO HAKAPRESS	TH 32	578364
	H 11,5	578394
	H 14	578398
	H 16	578400
	H 17	578402
MEGARO MEGAPRESS	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	B 16	578468
METALGRUP PexGrup	B 20	578472
	B 26	578474
	B 32	578476
	RFz 16	578492
	RFz 20	578494
METALGRUP MultiGrup	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 18	578376
	U 20	578378
MULTITHERM PRESSSYSTEM	U 25	578380
	U 32	578382
	TH 16	578352
	TH 18	578356
	TH 20	578358
Multicapas Industrial	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
multitubo systems MC	MT 20	578560
	MT 25	578562
	MT 32	578564
	U 40	578386
	U 16	578374
Multicapas Industrial	MT 20	578560
	MT 25	578562
	MT 32	578564
	TH 16	578352
	TH 20	578358
multitubo systems MM	TH 25	578360
	TH 26	578362
	TH 32	578364
	RFz 16	578492
	RFz 20	578494
NEUTHERM MEKUPRESS-HT	RFz 25	578496
	RFz 32	578498
	H 16	578400
	H 20	578406
	H 26	578410
NEUTHERM MEKUPRESS-HT	H 32	578412
	H 16	578400
	H 20	578406
NEUTHERM MEKUPRESS-HT	H 26	578410
	H 32	578412
	H 16	578400
NEUTHERM MEKUPRESS-HT	H 20	578406
	H 26	578410
	H 32	578412

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini which are highlighted in yellow. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For taking suitable pressing inserts.

The suitability of REMS pressing tools for pressfitting systems: Date 07.03.2013. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing contour	Art.-No.
NIBCO (POL) NEXT-Heat	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 20	578378
NIBCO (USA) Press System Copper	VUS ½"	578566
	VUS ¾"	578568
	VUS 1"	578570
	VUS 1¼"	578606
Nicoll Fluxo	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Nicoll Fluxo Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
NIROTEC PRESSFITTING	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
N.T.M. WINNY-AL	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
NUPIGECO Multinupi	C 26	578392
	U 32	578382
	U 40	578386
	V 12	578324
	V 15	578328
	V 18	578332
Nussbaum Cupress	V 22	578334
	V 28	578336
	V 35	578604
	V 35	578604
Nussbaum Optiflex	VP 16	578482
	VP 20	578484
	VP 25	578486
	VP 32	578488
Nussbaum Optipress	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Nussbaum Optipress Gas	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
Nussbaum Optipress-Therm	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
O.M.T. Heizungssystem	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
Oteraccordi Oter Tecno	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
Oteraccordi Oter Tecno carbonio	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390

System	Pressing contour	Art.-No.
Oteraccordi Oter Tecno Gas	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
Oventrop Cofit P	M 35	578390
	H 16 A	578420
	H 20 A	578426
	H 26 A	578430
PB TUB SERTIPRESS	H 32 A	578432
	RFz 12	578490
	RFz 16	578492
	RFz 25	578496
Pegler Yorkshire XPress Carbon	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
Pegler Yorkshire XPress Copper	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
Pegler Yorkshire XPress Copper Gas	M 35	578390
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
Pegler Yorkshire Henco Multilayer Solutions	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
Pegler Yorkshire XPress Solar	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
Pegler Yorkshire XPress Stainless	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
PERFEXIM "PERFEKT SYSTEM"	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
PERFILTUBO PERFILALUPEX	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
PERFILTUBO PERFILPRESS	U 40	578386
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
PEXTUBE PexTube	M 35	578390
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
PIPELIFE C-PRESS	RFz 32	578498
	M 15	578312
	M 18	578314
	M 22	578316
PIPELIFE- RADOPRESS	M 28	578318
	M 35	578390
	TH 16	578352
	TH 18	578356
PLASTICA ALFA Multypex	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 16	578400
	H 20	578406
PLASTICA ALFA Multypex Air	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
PLASTICA ALFA Multypex	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
PLASTICA ALFA Multypex Plus	C 26	578392
	U 32	578382
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
PLASTICA ALFA Multypex Thermo	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	H 16	578400
	H 20	578406
PLASTICA ALFA Multypex Thermo Plus	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
PLASTICA ALFA Multypex Thermo Plus	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
PLASTICA ALFA Multypex Thermo Plus	C 26	578392
	U 32	578382
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
PLASTICA ALFA Multypex Thermo Plus	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	H 16	578400
	H 20	578406
PLASTICA ALFA Multypex Thermo Plus	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
PLASTICA ALFA Multypex Thermo Plus	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
PLASTICA ALFA Multypex Thermo Plus	C 26	578392
	U 32	578382
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
PLASTICA ALFA Multypex Thermo Plus	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	H 16	578400
	H 20	578406
PLASTICA ALFA Multypex Thermo Plus	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382

System	Pressing contour	Art.-No.
PLASTICA ALFA Multypexalfa Gas	H 16	578400
	H 20	578406
	H 26	578410
PLASTICA ALFA Multypexalfa Gas protek	H 16	578400
	H 20	578406
	H 26	578410
PLASTICA ALFA Multypex Plus	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
PLASTICA ALFA Multypex Thermo	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
PLASTICA ALFA Multypex Thermo Plus	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
PLÁSTICOS	RFz 16	578492
FERRO	RFz 20	578494
FERROPLAST Pressfitting PE-X	RFz 25	578496
	RFz 32	578498
PLOMYPLAS	RFz 16	578492
plomyPRESS	RFz 20	578494
	RFz 25	578496
plomyAIR	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
PLOMYPLAS plomyPRESS plomyGAS	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
PLOMYPLAS plomyPRESS plomyLAYER	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
PLOMYPLAS plomyPRESS plomyLAYER PEX	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
U 20	578378	
U 25	578380	
U 32	578382	
PLOMYPLAS plomyPRESS plomyPERT EVAL	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
U 20	578378	
U 25	578380	
U 32	578382	
PLOMYPLAS plomyPRESS plomyPEX	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
U 20	578378	
U 25	578380	
U 32	578382	

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing contour	Art.-No.
PLOMYPLAS	RFz 16	578492
plomyPRESS	RFz 20	578494
plomyPEX EVAL	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
PLUMBING PLUS	VAU 15 (OD 12,7 mm)	578630
PRESS PLUS	VAU 20 (OD 19,1 mm)	578632
(AUS)	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
POLYPIPE	F 16	578456
POLYPRESS	F 20	578460
	F 26	578462
	F 32	578464
POLYPIPE	TH 10	578342
POLYSURE	TH 15	578350
	TH 22	578588
	TH 28	578590
POLYSAN	TH 14	578348
Handelsges.	TH 16	578352
m.b.H. & Co KG	TH 17	578354
(Krems/Öster-	TH 18	578356
reich) POLYSAN-	TH 20	578358
Press-System	TH 26	578362
	TH 32	578364
	TH 40	578624
POLYSAN	M 15	578312
Handelsges.	M 18	578314
m.b.H. & Co KG	M 22	578316
(Krems/Öster-	M 28	578318
reich) POLYSAN-	M 35	578390
EUROTUBI C-		
Stahl-Press-		
System		
POLYSAN	M 15	578312
Handelsges.	M 18	578314
m.b.H. & Co KG	M 22	578316
(Krems/Öste-	M 28	578318
reich) POLYSAN-	M 35	578390
EUROTUBI Edel-		
stahl-Press-		
System		
POLYSAN	M 15	578312
Handelsges.	M 18	578314
m.b.H. & Co KG	M 22	578316
(Krems/Öster-	M 28	578318
reich) POLYSAN-	M 35	578390
EUROTUBI		
Edelstahl-Press-		
System Gas		
POLYSAN	U 16	578374
(España)	U 18	578376
Rainbow	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Prandelli	H 14	578398
Multyrama Pf	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
Prandelli	H 16	578400
Multyrama Pfm	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 18	578376
	U 20	578378
PRASKI	TH 10	578342
BAVARIA-press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

System	Pressing contour	Art.-No.
Raccorderie	M 15	578312
Metallische	M 18	578314
inoxPRES ¹⁾	M 22	578316
	M 28	578318
Raccorderie	M 15	578312
Metallische	M 18	578314
steelPRES ¹⁾	M 22	578316
	M 28	578318
RBM Tita-gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
RBM Tita-fix	B 14	578466
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	F 16	578456
	F 18	578458
	F 20	578460
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
remo	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
RIFENG U	U 14	578372
PRESS FITTING	U 16	578374
(F5)	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
RIFENG TH	TH 16	578352
PRESS FITTING	TH 20	578358
(F9)	TH 25	578360
	TH 26	578362
	TH 32	578364
RIQUIER	RFz 12	578490
A SERTIR	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
Rofix Climatrix	H 16	578400
Rhinopex	H 20	578406
	U 16	578374
	U 20	578378
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
Roth	RN 14	578434
	RN 17	578436
	RN 20	578438
	RN 25/26	578440
	RN 32	578442
Roth Nordic	RN 16	578454
Alu-LaserPlus/	RN 20	578438
PressCheck	RN 25/26	578440
(DNK-NOR-SWE-FIN)	RN 32	578442
Rubinetterie	M 15	578312
Bresciane	M 18	578314
Bonomi	M 22	578316
TURBO INOX	M 28	578318
Rubinetterie	M 15	578312
Bresciane	M 18	578314
Bonomi	M 22	578316
TURBO STEEL	M 28	578318

System	Pressing contour	Art.-No.
Rubinetterie	TH 14	578348
Bresciane	TH 16	578352
Bonomi	TH 18	578356
TURBO PRESS	TH 20	578358
	TH 26	578362
	TH 32	578364
Rubinetterie	TH 16	578352
Bresciane	TH 20	578358
Bonomi	TH 26	578362
TURBO PRESS	TH 32	578364
GAS		
SA.MI plastic	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
SA.MI plastic	TH 16	578352
Multistrato Gas	TH 20	578358
	TH 26	578362
	TH 32	578364
SANHA	TH 14	578348
3fit-Press	TH 16	578352
Serie 25000	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 14	578372
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
SANHA-Press	SA 12	578510
Chrom	SA 15	578514
Serie 16000	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
SANHA-NiroSan-	SA 15	578514
Presssystem	SA 18	578518
Serie 9000	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
SANHA-NiroSan-	SA 15	578514
Presssystem	SA 18	578518
Serie 19000	SA 22	578520
(silicone free)	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini which are highlighted in yellow. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For taking suitable pressing inserts.

The suitability of REMS pressing tools for pressfitting systems: Date 07.03.2013. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
SANHA-NiroSan-Presssystem Gas Serie 17000	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
SANHA-Pressfittings Serie 6000/ Serie 8000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 12	578324
	V 14	578326
	VG 14	578338
	V 15 ¹⁾	578328
	V 16	578330
	VG 16	578340
SANHA-Pressfittings Gas Serie 10000/ Serie 11000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 12	578324
	V 14	578326
	VG 16	578340
	V 15 ¹⁾	578328
	V 16	578330
SANHA-Pressfittings Solar Serie 12000/ Serie 13000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
SANHA-Pressfittings Air Serie 14000/ Serie 15000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604

System	Pressing contour	Art.-No.
SANHA-Pressfittings Industrie Serie 18000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
SANHA PURAPRESS Serie 80000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12 ¹⁾	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28 ¹⁾	578318
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
SANHA-Therm Serie 24000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
SATEC SK ViTerm	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 40	578386
Schlösser EUROPRESS-SYSTEM	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
SCHÜTZ EHT rOpress	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
Schwer Fittings AQUApress	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
Seppelfricke HENCO PRESS	TH 16	578352
	TH 20	578358
	TH 26	578362
Seppelfricke Sudopress Edelstahl Visu-Control	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Seppelfricke Sudopress Kupfer Visu-Control Solar	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Seppelfricke Sudopress Kupfer Visu-Control Gas	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Seppelfricke Sudopress Kupfer Visu-Control	V 15	578328
	V 18	578332
	V 22	578334
Seppelfricke Sudopress SKIN Visu-control	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	THL 32	578368
	TH 40	578624

System	Pressing contour	Art.-No.
Seppelfricke XPress C-Stahl	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
Seppelfricke XPress Edelstahl	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
Seppelfricke XPress Kupfer	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
Seppelfricke XPress Kupfer gas	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
SESTA SESTA GAS	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
SESTA sistema multistrato	H 16	578400
	H 20	578406
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
SIKO TYPRO	TH 40	578624
	U 16	578374
	U 20	578378
	H 26	578410
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
SIKO TYROTHERM	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
SLOVARM PEX-THERM	U 16	578374
	U 20	578378
	H 26	578410
	U 32	578382
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
SOEMS sistema multistrato	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	THL 32	578368
SOEMS sistema rame e inox	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
Standard Hidráulica MultiStandard	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
STELBI POLIKRAFT	U 32	578382
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
System WELCO-Gas	TH 26	578362
	TH 32	578364
	H 16 A	578420
	H 20 A	578426
	H 26 A	578430
	H 32 A	578432
System WELCO-Flex	H 14 A	578418
	H 16 A	578420
	H 17 A	578422
	H 20 A	578426
	H 26 A	578430
System WELCO-Floor	H 32 A	578432
	H 16 A	578420
System WELCO-Teck	H 16 A	578420
	H 20 A	578426
	H 26 A	578430

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing contour	Art.-No.
TERMICALINE Termipex	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	H 16	578400
	H 20	578406
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
TermoConcept TC-PRESS	U 16	578374
	U 20	578378
	Basic E01 ²⁾	578618
THERMOLUTZ acular/rapid	H 14	578398
	H 16	578400
	H 17	578402
TE-SA TE-SA press serie 800	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
THISA Thisa multiplus	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
THISA Thisa Pex	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
TIEMME COBRAPRESS	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	THL 32	578368
	TH 40	578624
TIEMME Serie 1700 PE-X a pressare	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
TIEMME TIEMME Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	THL 32	578368
TKM Systemtechnik	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
TRA MULTITRAPRESS	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
TRA TRAPRESS	H 12	578396
	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Tréfimétaux Qtac	TH 14	578348
	TH 16	578352
	TH 20	578358
TWEETOP	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386

System	Pressing contour	Art.-No.
Ulrich VARIOFLEX- HAKAPRESS	H 14	578398
	H 16	578400
	H 17	578402
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
UNICAL AG MAX MULTIPLEX	U 16	578374
	U 20	578378
	H 26	578410
	U 32	578382
UNIDELTA Deltall	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
Uponor Unipipe	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Uponor MLC	UP 14	578576
	UP 16	578578
	UP 18	578580
	UP 20	578582
	UP 25	578584
	UP 32	578586
Uponor MLC-D	UP 16	578578
	UP 20	578582
	UP 25	578584
	UP 32	578586
	U 40	578386
Uponor MLC-G	UP 20	578582
	UP 25	578584
	UP 32	578586
Valsir PEXAL	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
	H 32 V	578602
Valsir PEXAL Gas	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
Van Marcke Log. Tu-Bi-Pex	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Van Marcke Log. Tu-Bi-Press	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
Variotherm System TH	TH 11,6	578344
	TH 16	578352
Viega Copatin	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Viega Pexfit Fosta	VX 16	578552
	VX 20	578554
	VX 25	578556
Viega Pexfit Fosta G	VX 16	578552
	VX 20	578554
	VX 25	578556
Viega Pexfit Plus	VX 12	578550
	VX 16	578552
	VX 20	578554

System	Pressing contour	Art.-No.
Viega Pexfit Pro Fosta	VX 16	578552
	VX 20	578554
	VX 25	578556
Viega Pexfit Pro Plus	VX 16	578552
	VX 20	578554
Viega Prestabo	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
Viega Profipress	V 12	578324
	VG 14	578338
	V 15	578328
	VG 16	578340
	V 18	578332
	V 22	578334
	V 28	578336
Viega Profipress G	V 35	578604
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
Viega Profipress S	V 35	578604
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
Viega Profipress Therm	V 35	578604
	V 12	578324
	V 15	578328
	V 18	578332
Viega ProPress System USA	V 22	578334
	VUS ½" (OD 15,88 mm)	578566
	VUS ¾" (OD 22,22 mm)	578568
	VUS 1" (OD 28,58 mm)	578570
Viega ProPress WATER System AUS	VUS 1¼" (OD 34,93 mm)	578606
	VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
Viega ProPressG GAS System AUS	VAU 32 (OD 31,8 mm)	578636
	VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
Viega Sanfix Fosta	VAU 32 (OD 31,8 mm)	578636
	VP 16	578482
	VP 20	578484
	VP 25	578486
Viega Sanfix Plus	VP 32	578488
	VP 16	578482
	VP 20	578484
Viega Sanpress	VP 25	578486
	VP 32	578488
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
Viega Sanpress Inox	V 28	578336
	V 35	578604
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
Viega Sanpress Inox G	V 35	578604
	V 15	578328
	V 18	578332
	V 22	578334
Viessmann	V 28	578336
	V 35	578604
	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
VSH Benelux VSH MultiPress	TH 32	578364
	U 14	578372
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
VSH Benelux XPress Carbon	U 40	578386
	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini which are highlighted in yellow.
Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For taking suitable pressing inserts.

The suitability of REMS pressing tools for pressfitting systems: Date 07.03.2013. For the updated situation regarding suitability status check our website:

www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing contour	Art.-No.
VSH Benelux	M 15	578312
XPress Copper	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
VSH Benelux	M 15	578312
XPress Copper	M 18 ¹⁾	578314
GAS	M 22	578316
	M 28 ¹⁾	578318
VSH Benelux	M 15	578312
XPress Copper	M 18 ¹⁾	578314
Solar	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
VSH Benelux	M 15	578312
XPress Stainless	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
VSH Fittings	M 12	578310
XPress Carbon	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
VSH Fittings	M 15	578312
XPress Stainless	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
Walter Meier	U 16	578374
Metalplast	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Watts MTR	TH 16	578352
Art press	TH 20	578358
	TH 26	578362
	TH 32	578364
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts WaterPEX	US ¾"	578538
	US 1"	578540
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts	US ¾"	578538
RadiantPEX	US 1"	578540
WATTS	U 16 (½")	578374
RADIANT	U 20 (¾")	578378
Watts	U 25 (¾")	578380
RadiantPEX-AL	U 32 (1")	578382
Wavin	U 14	578372
Tigris K1	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Wavin	U 14	578372
Tigris M1	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
WeeConPress	M 12	578310
C-Stahl	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
WeeConPress	M 12	578310
Inox	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390

System	Pressing contour	Art.-No.
WeeConFlex	TH 16	578352
MVR	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
WEFA PLASTIC	H 16	578400
WEFATHERM-	H 20	578406
PRESS	H 26	578410
	H 32	578412
WEM	H 16	578400
	U 16	578374
WIELAND	TH 14	578348
cuprotherm	TH 16	578352
CTX	TH 18	578356
	TH 20	578358
	TH 26	578362
Winkler	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
WKS-Press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
XtraConnect	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
(NW 26)	U 25	578380
	U 32	578382
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
EUROPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
ISOPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
Zetaesse Rame	TH 14	578348
HydroSAN	TH 16	578352
	TH 20	578358
	U 14	578372
	U 16	578374
	U 20	578378

System	Pressing contour	Art.-No.
Zetaesse Rame	TH 14	578348
ThermoSAN	TH 16	578352
	TH 20	578358
	U 14	578372
	U 16	578374
	U 20	578378
ZEWOOTHERM	TH 12	578346
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
ZURN	US ¾"	578534
INDUSTRIES	US ½"	578536
ZURN PEX	US ¾"	578538
	US 1"	578540

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini which are highlighted in yellow.

Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For taking suitable pressing inserts.

The suitability of REMS pressing tools for pressfitting systems: Date 07.03.2013. For the updated situation regarding suitability status check our website:

www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

Accessories

Description	Art.-No.
Steel case with insert for 8 pressing tongs Mini/cropping tongs Mini and compartment for pipe cutter up to 42 mm	578295

