

# Work smarter – not harder in a ergonomic future

We always see the bad working postures, which ruin the fingers and overstretch the knees and back. Physical overloads that in many cases end up in becoming chronic diseases. We decided to develop a new system with work environment and ergonomics being the focal points.

The Smart Tool is filled from the top with the Smart Clips gathered in a stick - when pressing down lightly above a cross on the reinforcement mesh the smartclip is mounted.

Tools is design-

#### **Product Benefits**

- Height adjustable Tool fits every empolyee
- Nearly 80% faster than traditional ways to mount tubes
- Only 1 empolyee is needed for mounting
- No more "too tight bindings"
- No risk of Corrosion (plastic on plastic)
- The Clips lifts the tube from the iron and provides better concreting
- The Clips can be kicked off and be replaced /used again
- More straight and accurate positioning of the tube on the Mesh
- Cost'nuse calculation show a breakeven with a salary of Euro
  10 per hour compared to other more traditional ways to mount
- Many different types of dimensions can be delivered
- No electrical power needed
- The System will be adapted to other dimensions or needs

### 80% faster - 100% smarter






Proff
Aluminium pole
Adjustable height
Rubber Handle

Standard	
Aluminium pole	
Rubber Handle	





Smart Clips is designregistrated world wide

## **Product Range**













Size of wiremesh
Dia. floor heating hose
Pcs. in box
Boxes on pallets
Pcs. on pallets


01603
3 mm
16-18 mm
1.408 pcs.
42 pcs.
59.136 pcs.

01635
3,5 mm (#10)
16-18 (1/2")
1.280 pcs.
42 pcs.
53.760 pcs.

01604
4 mm
16-18 mm
1.280 pcs.
42 pcs.
53.760 pcs.

01605 5 mm 16-18 mm 1408 pcs. 42 pcs. 59.136 pcs.







02006
6 mm
20-22 mm
1.280 pcs.
42 pcs.
53.760 pcs.





02008
8 mm
20-22 mm
1.216 pcs.
42 pcs.
51.072 pcs.



02040
min. 40 mm insulation
16-20 mm
896 pcs.
42 pcs.
37.632 pcs.
40 mm legs
need a special tool



01819
min. 20 mm insulation with alu-layer
16-18 mm
1.080 pcs.
42 pcs.
45.360 pcs.
19 mm legs
need a special tool

## Tool

Clips

Size of wiremesh Dia. floor heating hose Art. no. **PROFF** Art. no. **STANDARD** Art. no. **LIGHT** 





01603
3 mm
16/18 mm
11603
21603
31603



	01635
3,5 mm	n (#10)
16-18 m	m (1/2")
	11635
•	21635
	31635




01604	
4 mm	
16-18 mm	
11604	
21604	
31604	



010	605/02005
	5 mm
	16-22 mm
	12005
	22005
	32005




01606/02006 6 mm
6 mm
16-22 mm
12006
22006



/02006	02008
6 mm	8 mm
22 mm	20-22 mm
12006	12008
22006	22008
32006	32008



## Same colour for tool and clips How to change fixating




Make sure that the colour of the fixation is the same as the colour of the clip.



 $\bf 01$  / Remove fixating.  $\bf 02$  / Place new.  $\bf 03$  / Tighten.  $\bf 04$  / Ready for use

## **Quick overview**



## **Upcoming products**



02003	
3 mm	
20-22 mm	



02035
3,5 mm (#10)
19 mm (5/8")
20-22 mm (3/4")



02004
4 mm
20-22 mm



#### **Contact**

International sale: René Jacobsen CCO Phone +45 2012 3078 Mail rj@smcp.dk Skype rene\_smcp Fax +45 6980 4560