

A P P R O V A L S ®

Certificate of Approval

Certificate No.:

SAA-182025-EA

Certificate Holder:

Letaron Electronic Co., Ltd. Xiaotiantou Village, Xinsi Area, Hengli Town, Dongguan City, Guangdong Province, P.R. China

Class Description: Product Description: Brand Name: Model No.: Markings:

Standard:

Conditions:

Approval Mark:

Date First Registered: Date of Expiry: Power Supply or Charger LED Driver (Independent SELV, Constant Voltage) Letaron AED60-12VLSTB-IP44 Input: 220-240V~ 50/60Hz 380mA Output: 12Vdc 5000mA, Max U0:15Vdc, 60W ta:40°C tc:80°C, IP44, Class II AS/NZS IEC 61347.2.13:2013 AS/NZS 61347.1:2016 Nil

SAA-182025-EA or RCM

10 August 2018 10 August 2023

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au





Issued: 10-08-18 182025/1



Certificate of Approval *Addendum*

Certificate No.: SAA-182025-EA

Date of Issue: 10 August 2018

Class Description: Product Description: Power Supply or Charger LED Driver (Independent SELV, Constant Voltage)

Additional Models Description

AED06-12VLSTB-IP44	Input: 220-240Vac 50/60Hz 80mA Output: 12Vdc 500mA Max, Max U0:14Vdc, 6W
AED06-24VLSTB-IP44	Input: 220-240Vac 50/60Hz 80mA Output: 24Vdc 250mA Max, Max U0:27Vdc, 6W
AED12-12VLSTB-IP44	Input: 220-240Vac 50/60Hz 160mA Output: 12Vdc 1000mA Max, Max U0:14Vdc, 12W
AED12-24VLSTB-IP44	Input: 220-240Vac 50/60Hz 160mA Output: 24Vdc 500mA Max, Max U0:27Vdc, 12W
AED20-12VLSTB-IP44	Input: 22 <mark>0-240Vac 50/60Hz 240mA Output: 12Vdc 1670mA Max, Max U0:14Vdc, 20W</mark>
AED20-24VLSTB-IP44	Input: 220-240Vac 50/60Hz 240mA Output: 24Vdc 830mA Max, Max U0:27Vdc, 20W
AED30-12VLSTB-IP44	Input: 220-240Vac 50/60Hz 200mA Output: 12Vdc 2500mA Max, Max U0:15Vdc, 30W
AED30-24VLSTB-IP44	Input: 220-240Vac 50/60Hz 200mA Output: 24Vdc 1250mA Max, Max U0:28Vdc, 30W
AED48-24VLSTB-IP44	Input: 220-240Vac 50/60Hz 300mA Output: 24Vdc 2000mA Max, Max U0:28Vdc, 48W

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au





Issued: 10-08-18 182025/2



A P P R O V A L S ®

Certificate of Approval *Addendum*

Certificate No.: SAA-182025-EA

Date of Issue:

10 August 2018

Class Description: Product Description: Power Supply or Charger LED Driver (Independent SELV, Constant Voltage)

Additional Models	Description
AED40-24VLSTB-IP44	Input: 220-240Vac 50/60Hz 250mA Output: 24Vdc 1670mA Max, Max U0:28Vdc, 40W
AED40-12VLSTB-IP44	Input: 220-240Vac 50/60Hz 250mA Output: 12Vdc 3330mA Max, Max U0:15Vdc, 40W
AED48-12VLSTB-IP44	Input: 220-240Vac 50/60Hz 300mA Output: 12Vdc 4000mA Max, Max U0:15Vdc, 48W
AED60-24VLSTB-IP44	Input: 220-240Vac 50/60Hz 380mA Output: 24Vdc 2500mA Max, Max U0:28Vdc, 60W

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au





Issued: 10-08-18 182025/3