



CLASS 1

Product name:

Building Product Information Sheet

1700mm Tilt Bath Gloss White				
Product line (the prod	uct line from which the product is customised):			
Tilt Bath Range				
Product description	and its intended use (measurements, materi	ials, usage) :		
1700mm bath in	high quality pure gloss acrylic			
Adjustable feet				
Includes 'clikclak	' pop-up waste			
Product identifier (if a	pplicable) :			
BPBA1705, BPBA	BPBA1705, BPBA1705L, BPBA1705R			
Place of manufacture:	\square Aotearoa New Zealand $oximes$ Overseas			
Legal and trading nan	ne of the manufacturer(s):			
CONFIDENTIAL				
Legal and trading na	me of the importer (if applicable):			
WATERWARE SEI	RVICES LIMITED			
Address for service:				
STREET NAME 54 Stonedon Drive		SUBURB	East Tamaki	
CITY, COUNTRY Auckland	d, New Zealand	POSTCODE	2013	
Website:	https://www.waterware.co.nz/	1		
Email address:	info@waterware.co.nz			
Phone No. (if applicable):	09 273 9191			
	03 273 3232			
	0.420020724024			
NZBN (if applicable):	9429038721021			



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
F2 Hazardous building materials — F2.3.1
G1 Personal Hygiene — G1.3.2
G12 Water Supplies — G12.3.5

Statement on how the building product is expected to contribute to compliance:

Tilt Right Hand Corner Bath 1700mm Specification Sheet:		
https://www.waterware.co.nz/wp-content/uploads/2022/01/BPBA1705R-SpecSheet.pdf		

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:		
This product is intended for domestic use only.		
Design requirements that would support the use of the building product:		
The unit is intended for use in domestic bathrooms		
It is suitable for hot and cold water use, and with mains pressure systems		
Installation requirements:		
The unit must be installed by a registered plumber.		
The difference by a registered plantser.		

Maintenance requirement	S
-------------------------	---

	cleanable and impervious to moisture — cleaning shall be done in accordance with rer's cleaning instructions
Is the building proc	duct/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No	
If yes, description of	of the warning or ban under section 26:
	19/09/2023
Date:	***************************************

4