



CLASS 1

Product name:

Building Product Information Sheet

| Airaga Union Ba | ll Valve Female/Male | | |
|---------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------|---|
| Product line (the prod | uct line from which the product is custo | omised): | |
| Airaga | | | |
| Product description | and its intended use (measuremer | nts, materials, usage): | |
| Ball valve with di | rilled swivel union nut. | | |
| 25mm female un Blue butterfly ha For counter mete | ndle | | |
| Product identifier (if a | applicable): | | |
| BVUF25M | | | |
| Legal and trading nar | \square Aotearoa New Zealand \boxtimes Over ne of the manufacturer(s): | rseas | |
| CONFIDENTIAL | | | |
| Legal and trading na | me of the importer (if applicable): | | |
| WATERWARE SE | RVICES LIMITED | | |
| Address for service: | | | |
| STREET NAME 54 Stonedon Drive | | SUBURB East Tamaki | |
| CITY, COUNTRY Aucklan | d, New Zealand | POSTCODE 2013 | |
| Website: | https://www.waterware | .co.nz/ | |
| Email address: | info@waterware.co.nz | | - |
| Phone No. (if applicable): | 09 273 9191 | | |
| NZBN (if applicable): | 9429038721021 | | |
| | | | |



| Relevant | Building | Code | clauses: |
|----------|----------|------|----------|
|----------|----------|------|----------|

| 2 Durability — B2.3.1 (c) | |
|------------------------------------------|--|
| 3 Internal moisture — E3.3.1 | |
| P. Hazardous building materials — F2.3.1 | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Statement on how the building product is expected to contribute to compliance:

| BVUF25M Technical Sheet: | | | | |
|--------------------------------------------------------------------------------|--|--|--|--|
| https://www.waterware.co.nz/wp-content/uploads/2022/11/BVUF25M-TechSheet.pdf | | | | |
| Tittps://www.waterware.co.inz/wp content/apioaas/2022/11/200125W recharect.par | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

| his product is intended for domestic use only. | |
|---------------------------------------------------------------------------------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| esign requirements that would support the use of the building product: | |
| uitable for residential and commercial applications | |
| ••• | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| stallation requirements: | |
| | |
| stallation requirements: he unit must be installed by an accredited technician. | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| Maintenance requirements: |
|--------------------------------------------------------------------------------------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| Is the building product/building product line subject to warning or ban under section 26?: |
| □ Yes ⊠ No |
| If yes, description of the warning or ban under section 26: |
| |
| |
| |
| |
| 19/09/2023 Date: |