# BUILDING PERFORMANCE



### CLASS 1

# **Building Product Information Sheet**

Product name:

Caleffi 311 Series Safety Valve 20mm x 20mm 300-600kPa

Product line (the product line from which the product is customised):

Caleffi

Product description and its intended use (measurements, materials, usage):

Safety relief valve	
20mm x 20mm outlet	
300-600kPa	
Female connections	
Discharge overpressure 20%	
Closing differential 20%	
Temperature range: 5–110°C	

Product identifier (if applicable):

DSV311530, DSV311507

Place of manufacture: 🗌 Aotearoa New Zealand 🖾 Overseas

Legal and trading name of the manufacturer(s):

CONFIDENTIAL

Legal and trading name of the importer (if applicable):

WATERWARE SERVICES LIMITED

Address for service:

STREET NAME 54 Stonedon Drive

CITY, COUNTRY Auckland, New Zealand

<sup>TCODE</sup> 2013

East Tamaki

Website:	https://www.waterware.co.nz/
Email address:	info@waterware.co.nz
Phone No. (if applicable):	09 273 9191
NZBN (if applicable):	9429038721021



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c) E3 Internal moisture — E3.3.1 F2 Hazardous building materials — F2.3.1

Statement on how the building product is expected to contribute to compliance:

Caleffi 311 Series Technical Sheet: https://www.waterware.co.nz/wp-content/uploads/2023/02/DSV311-OEM-Techsheet.pdf

• options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)

• standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured

• how the building product is intended to be used.

physical properties of the building product

### Limitations on the use of the building product:

This product is intended for domestic use only.

## Design requirements that would support the use of the building product:

Suitable for residential and commercial applications

Installation requirements:

The unit must be installed by an accredited technician.

Maintenance requirements:

Is the building product/building product line subject to warning or ban under section 26?:

 $\Box$  Yes  $\boxtimes$  No

If yes, description of the warning or ban under section 26:

Date:

19/09/2023