



CLASS 1

## **Building Product Information Sheet**

Product name:					
Caleffi 527 Series Safety Valve 25mm x 32mm 100-300kPa					
Product line (the produ	uct line from which the product is a	customised):			
Caleffi					
Product description	and its intended use (measure	ements, materials, usage):			
Safety relief valve	3				
25mm x 32mm outlet					
100-300kPa					
Female connections					
Discharge overpressure 20%					
Closing differential 20%					
Temperature ran	ge: 5–110°C				
Product identifier (if a	pplicable):				
DSV527610, DSV	527630				
Legal and trading nan	☐ Aotearoa New Zealand ☒ C	Overseas			
CONFIDENTIAL					
Legal and trading nar	me of the importer (if applicable)	:			
WATERWARE SE	RVICES LIMITED				
Address for service:					
STREET NAME 54 Stonedon Drive		SUBURB	East Tamaki		
CITY, COUNTRY Auckland	d, New Zealand	POSTCODE	2013		
Website:	https://www.waterwa	are.co.nz/			
Email address:	info@waterware.co.na	Z			
Phone No. (if applicable):	09 273 9191				
NZBN (if applicable):	9429038721021				



Relevant	Building	Code	clauses:
----------	----------	------	----------

B2 Durability — B2.3.1 (c)					
E3 Internal moisture — E3.3.1					
F2 Hazardous building materials — F2.3.1					

Statement on how the building product is expected to contribute to compliance:

leffi 527 Series	Technical Sheet:	
tps://www.wat	erware.co.nz/wp-content/uploads/2023/02/DSV527-OEM-Techsheet.pdf	

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

his product is intended for domestic use only.	
esign requirements that would support the use of the building product:	
uitable for residential and commercial applications	
•••	
stallation requirements:	
stallation requirements: he unit must be installed by an accredited technician.	

Maintenance requirements:
Is the building product/building product line subject to warning or ban under section 26?:
□ Yes ⊠ No
If yes, description of the warning or ban under section 26:
19/09/2023 Date: