BUILDING PERFORMANCE



CLASS 1

Building Product Information Sheet

Product name:

Caleffi 527 Series Safety Valve 32mm x 40mm 200-300kPa

Product line (the product line from which the product is customised):

Caleffi

Product description and its intended use (measurements, materials, usage):

Safety relief valve		
32mm x 40mm outlet		
200-300kPa		
Female connections		
Discharge overpressure 20%		
Closing differential 20%		
Temperature range: 5–110°C		

Product identifier (if applicable):

DSV527720, DSV527730

Place of manufacture: 🗌 Aotearoa New Zealand 🖾 Overseas

Legal and trading name of the manufacturer(s):

CONFIDENTIAL

Legal and trading name of the importer (if applicable):

WATERWARE SERVICES LIMITED

Address for service:

STREET NAME 54 Stonedon Drive

CITY, COUNTRY Auckland, New Zealand

CODE 2013

East Tamaki

Website:	https://www.waterware.co.nz/
Email address:	info@waterware.co.nz
Phone No. (if applicable):	09 273 9191
NZBN (if applicable):	9429038721021



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c) E3 Internal moisture — E3.3.1 F2 Hazardous building materials — F2.3.1

Statement on how the building product is expected to contribute to compliance:

Caleffi 527 Series Technical Sheet: https://www.waterware.co.nz/wp-content/uploads/2023/02/DSV527-OEM-Techsheet.pdf

• options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)

• standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured

• how the building product is intended to be used.

physical properties of the building product

Limitations on the use of the building product:

This product is intended for domestic use only.

Design requirements that would support the use of the building product:

Suitable for residential and commercial applications

Installation requirements:

The unit must be installed by an accredited technician.

Maintenance requirements:

Is the building product/building product line subject to warning or ban under section 26?:

 \Box Yes \boxtimes No

If yes, description of the warning or ban under section 26:

Date:

19/09/2023