



CLASS 1

Product name:

Building Product Information Sheet

Elisa Oval Shower Divert Mixer Chrome			
Product line (the product	t line from which the product is custon	nised):	
Elisa Range			
Product description a	nd its intended use (measurement	s, materials, usage) :	
Divert feature allo Recommended wo	vert mixer with oval face ws dual functions e.g. slic orking pressure 200 – 500 cartridge (Made in Spain	de shower and dump JkPa (balanced)	rose
Product identifier (if app	nlicable):		
FWE2037			
Place of manufacture:	Aotearoa New Zealand $oximes$ Overse of the manufacturer(s):	eas	
CONFIDENTIAL			
Legal and trading name	e of the importer (if applicable):		
WATERWARE SERV	VICES LIMITED		
Address for service:			
STREET NAME 54 Stonedon Drive		SUBURB	East Tamaki
CITY, COUNTRY Auckland,	New Zealand	POSTCOD	DE 2013
Website:	ttps://www.waterware.c	co.nz/	
Email address:	nfo@waterware.co.nz		
Phone No. (if applicable):	9 273 9191		
NZBN (if applicable):	429038721021		



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)		
F2 Hazardous building materials — F2.3.1		
G1 Personal Hygiene — G1.3.2		
G12 Water Supplies — G12.3.5		

WE2037 Specification Sheet:	
ttps://www.waterware.co.nz/wp-content/uploads/2022/01/FWE2037-SpecSheet.pdf	

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:	
This product is intended for domestic use only.	
Design requirements that would support the use of the building product:	
The unit is intended for use in domestic bathrooms	
It is suitable for hot and cold water use, and with mains pressure systems	
The unit is wall-mounted	
Installation requirements:	
The unit must be installed by a registered plumber.	

Maintenance requirement	S
-------------------------	---

	cleanable and impervious to moisture — cleaning shall be done in accordance with rer's cleaning instructions
Is the building prod	duct/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No	
If yes, description of	of the warning or ban under section 26:
	19/09/2023
Date:	17/07/2020

4