



CLASS 1

Building Product Information Sheet

Product name:				
Flint Rain Shower with Ceiling Arm Gun Metal				
Product line (the produ	uct line from which the product is customis	ed):		
Flint Range				
Product description	and its intended use (measurements, r	materials, usage):		
250mm rose and	rain shower dump rose and 150mm arm with 15mm ma vorking pressure 200 – 500k	ale ceiling connection		
Product identifier (if a)	pplicable):			
FWF10GM	<u>, , , , , , , , , , , , , , , , , , , </u>			
	\square Aotearoa New Zealand $oxtimes$ Oversedne of the manufacturer(s):	is		
CONFIDENTIAL				
Legal and trading nar	me of the importer (if applicable):			
WATERWARE SEE	RVICES LIMITED			
Address for service:				
STREET NAME 54 Stone	don Drive	suburb Eas	st Tamaki	
CITY, COUNTRY Auckland	d, New Zealand	роѕтсоре 20	13	
Website:	https://www.waterware.co	.nz/		
Email address:	info@waterware.co.nz			
Phone No. (if applicable):	09 273 9191			
NZBN (if applicable):	9429038721021			



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)			
F2 Hazardous building materials — F2.3.1			
G1 Personal Hygiene — G1.3.2			
G12 Water Supplies — G12.3.5			

Statement on how the building product is expected to contribute to compliance:		
WELS 8 Star 9L/min		
FWF10GM Specification Sheet:		
https://www.waterware.co.nz/wp-content/uploads/2022/01/FWF10GM-SpecSheet.pdf		

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:		
This product is intended for domestic use only.		
Design requirements that would support the use of the building product:		
The unit is intended for use in domestic bathrooms		
It is suitable for hot and cold water use, and with mains pressure systems		
The unit is ceiling-mounted		
The diffe is certify the different		
nstallation requirements:		
The unit must be installed by a registered plumber.		

Maintenance requirement	S
-------------------------	---

	cleanable and impervious to moisture — cleaning shall be done in accordance with rer's cleaning instructions
Is the building proc	duct/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No	
If yes, description of	of the warning or ban under section 26:
	19/09/2023
Date:	***************************************

4