



CLASS 1

## **Building Product Information Sheet**

Product name:			
Flint Wall Moun	ted Basin Mixer Gun Metal		
Product line (the product	uct line from which the product is customised):		
Flint Range			
Product description	and its intended use (measurements, materials, usage):		
Wall mounted ba	asin mixer and spout for vessel basin installations in gun metal		
182mm reach			
Recommended w	vorking pressure 200 – 500kPa (balanced)		
Product identifier (if a	pplicable):		
FWF8286GM			
Place of manufacture:	$\square$ Aotearoa New Zealand $\boxtimes$ Overseas		
Legal and trading nan	ne of the manufacturer(s):		
CONFIDENTIAL			
Legal and trading na	me of the importer (if applicable):		
WATERWARE SEI	RVICES LIMITED		
Address for service:			
STREET NAME 54 Stone	edon Drive suburb East Tamaki		
CITY, COUNTRY Auckland	d, New Zealand		
Website:	https://www.waterware.co.nz/		
Email address:	info@waterware.co.nz		
Phone No. (if applicable):	09 273 9191		
3 77			
	0.420020724.024		
NZBN (if applicable):	9429038721021		



## Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
F2 Hazardous building materials — F2.3.1
G1 Personal Hygiene — G1.3.2
G12 Water Supplies — G12.3.5

## Statement on how the building product is expected to contribute to compliance:

WELS 4 Star 6.5L/min
FWF8286GM Specification Sheet:
https://www.waterware.co.nz/wp-content/uploads/2022/01/FWF8286GM-SpecSheet.pdf
-WF8286GM Installation Instructions:
nttps://www.waterware.co.nz/wp-content/uploads/2022/02/Standard- BAsin_Wall_Mounted_Install_Instructions.pdf

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:	
This product is intended for domestic use only.	
Design requirements that would support the use of the building product:	
The unit is intended for use in domestic bathrooms	
It is suitable for hot and cold water use, and with mains pressure systems	
The unit is wall-mounted	
Installation requirements:	
The unit must be installed by a registered plumber.	

Maintenance requirement	S
-------------------------	---

	cleanable and impervious to moisture — cleaning shall be done in accordance with rer's cleaning instructions
Is the building prod	duct/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No	
If yes, description of	of the warning or ban under section 26:
	19/09/2023
Date:	17/07/2020

4