## BUILDING PERFORMANCE



### CLASS 1

# **Building Product Information Sheet**

Product name:

Industry Slide Shower with a Three Function Handshower

**Product line** (the product line from which the product is customised):

Industry

Product description and its intended use (measurements, materials, usage):

Slide shower with a three function handshower

600mm centers and 15mm male wall elbow connection

Full metal rail, end posts and slider for long term durability

1500mm metal wound shower hose

Supplied with non-return restrictor in hand piece

Mains pressure only

Recommended working pressure 200 - 500kPa (balanced)

Product identifier (if applicable):

FWI9516MGM

Place of manufacture:  $\square$  Aotearoa New Zealand  $\boxtimes$  Overseas

Legal and trading name of the manufacturer(s):

CONFIDENTIAL

Legal and trading name of the importer (if applicable):

WATERWARE SERVICES LIMITED

Address for service:

STREET NAME 54 Stonedon Drive

CITY, COUNTRY Auckland, New Zealand

	,
Website:	https://www.waterware.co.nz/
Email address:	info@waterware.co.nz
Phone No. (if applicable):	09 273 9191
NZBN (if applicable):	9429038721021

SUBURB East Tamaki

POSTCODE 2013



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c) F2 Hazardous building materials — F2.3.1 G1 Personal Hygiene — G1.3.2 G12 Water Supplies — G12.3.5

Statement on how the building product is expected to contribute to compliance:

FWI9516MGM Specification Sheet:

https://www.waterware.co.nz/wp-content/uploads/2023/11/FWI9516MGM-SpecSheet.pdf

• options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)

• standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured

physical properties of the building product

<sup>•</sup> how the building product is intended to be used.

#### Limitations on the use of the building product:

This product is intended for domestic use only.

#### Design requirements that would support the use of the building product:

The unit is intended for use in domestic bathrooms It is suitable for cold water use, and with mains pressure systems The unit is wall mounted

#### Installation requirements:

The unit must be installed by a registered plumber.

Maintenance requirements:

This product is cleanable and impervious to moisture — cleaning shall be done in accordance with the manufacturer's cleaning instructions

Is the building product/building product line subject to warning or ban under section 26?:

 $\Box$  Yes  $\boxtimes$  No

If yes, description of the warning or ban under section 26:

Date:

19/09/2023