

CLASS 1

Building Product Information Sheet

Product name:

Loft Shower Divert Mixer

Product line (the product line from which the product is customised):

Loft Range

Product description and its intended use (measurements, materials, usage):Shower divert mixer
Recommended working pressure 200 – 500kPa (balanced)**Product identifier** (if applicable):

FWLO2037BC, FWLO2037CP, FWLO2037GM, FWLO2037RG

Place of manufacture: Aotearoa New Zealand Overseas**Legal and trading name of the manufacturer(s):**

CONFIDENTIAL

Legal and trading name of the importer (if applicable):

WATERWARE SERVICES LIMITED

Address for service:

STREET NAME 54 Stonedon Drive

SUBURB East Tamaki

CITY, COUNTRY Auckland, New Zealand

POSTCODE 2013

Website:<https://www.waterware.co.nz/>**Email address:**

info@waterware.co.nz

Phone No. (if applicable):

09 273 9191

NZBN (if applicable):

9429038721021



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
 F2 Hazardous building materials — F2.3.1
 G1 Personal Hygiene — G1.3.2
 G12 Water Supplies — G12.3.5

Statement on how the building product is expected to contribute to compliance:

FWLO2037BC Specification Sheet:
<https://www.waterware.co.nz/wp-content/uploads/2022/01/FWLO2037BC-SpecSheet.pdf>

FWLO2037GM Specification Sheet:
<https://www.waterware.co.nz/wp-content/uploads/2022/01/FWLO2037GM-SpecSheet.pdf>

FWLO2037CP Specification Sheet:
<https://www.waterware.co.nz/wp-content/uploads/2022/01/FWLO2037CP-SpecSheet.pdf>

FWLO2037RG Specification Sheet:
<https://www.waterware.co.nz/wp-content/uploads/2022/06/FWLO2037RG-SpecSheet.pdf>

Installation Instructions:
<https://www.waterware.co.nz/wp-content/uploads/2021/07/FWLO2037-installation-instructions.pdf>

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

This product is intended for domestic use only.

Design requirements that would support the use of the building product:

The unit is intended for use in domestic bathrooms
It is suitable for hot and cold water use, and with mains pressure systems
The unit is wall-mounted

Installation requirements:

The unit must be installed by a registered plumber.

Maintenance requirements:

This product is cleanable and impervious to moisture — cleaning shall be done in accordance with the manufacturer's cleaning instructions

Is the building product/building product line subject to warning or ban under section 26?:

Yes No

If yes, description of the warning or ban under section 26:

Date:

19/09/2023