



CLASS 1

Product name:

Building Product Information Sheet

Modern Slide Shower 3 Function Handshower				
Product line (the prod	uct line from which the product is customised):			
Modern Range				
Product description	and its intended use (measurements, materials, usage):			
Slide shower with a three function handshower 600mm centers and 15mm male wall elbow connection Full metal rail, end posts and slider for long term durability 1500mm metal wound shower hose Recommended working pressure 200 – 500kPa (balanced)				
Product identifier (if a	pplicable):			
FWM9539M				
	☐ Aotearoa New Zealand ☒ Overseas			
CONFIDENTIAL				
Legal and trading na	me of the importer (if applicable):			
WATERWARE SE	RVICES LIMITED			
Address for service:				
STREET NAME 54 Stone	edon Drive	suburb East Tamaki		
CITY, COUNTRY Auckland, New Zealand		POSTCODE 2013		
Website:	https://www.waterware.co.nz/			
Email address:	info@waterware.co.nz			
Phone No. (if applicable):	09 273 9191			
NZBN (if applicable):	9429038721021			



Relevant Building Code clauses:

32 Durability — B2.3.1 (c)
⁻ 2 Hazardous building materials — F2.3.1
G1 Personal Hygiene — G1.3.2
G12 Water Supplies — G12.3.5

WELS 4 Star 6.5L/min
VVELS + 3tal 0.3L/111111
FWM9539M Specification Sheet:
https://www.waterware.co.nz/wp-content/uploads/2023/10/FWM9539M-SpecSheet.pdf

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:		
This product is intended for domestic use only.		
Design requirements that would support the use of the building product:		
The unit is intended for use in domestic bathrooms		
It is suitable for hot and cold water use, and with mains pressure systems		
The unit is wall-mounted		
Installation requirements:		
The unit must be installed by a registered plumber.		

Maintenance requirement	S
-------------------------	---

	cleanable and impervious to moisture — cleaning shall be done in accordance with rer's cleaning instructions
Is the building prod	duct/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No	
If yes, description of	of the warning or ban under section 26:
	19/09/2023
Date:	17/07/2020

4