



CLASS 1

Product name:

Building Product Information Sheet

Smart Compact	Smart Compact Kitchen Mixer					
Product line (the prod	uct line from which the product is cu	ustomised):				
Smart Range						
Product description	and its intended use (measuren	nents, materials, usage):				
Kitchen mixer wi	th flat swivel spout					
285mm aerator height x 190mm reach						
Recommended working pressure 200 – 500kPa (balanced)						
Ceramic disc cartridge						
35mm hole cut out size required for installation						
Product identifier (if a	pplicable):					
FWS8789						
Legal and trading nan	☐ Aotearoa New Zealand ☒ Ovne of the manufacturer(s):	verseas				
CONFIDENTIAL						
Legal and trading na	me of the importer (if applicable):					
WATERWARE SEI	RVICES LIMITED					
Address for service:						
STREET NAME 54 Stonedon Drive			SUBURB East Tamaki			
CITY, COUNTRY Auckland, New Zealand						
Website:	https://www.waterwar	re.co.nz/				
Email address:	info@waterware.co.nz					
Phone No. (if applicable):	09 273 9191					
NZBN (if applicable):	9429038721021					



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
F2 Hazardous building materials — F2.3.1
G1 Personal Hygiene — G1.3.2
G12 Water Supplies — G12.3.5

WELS 4 Star 6.5L/min			
FWS8789 Specification Sheet:			
nttps://www.waterware.co.nz/wp-content/uploads/2022/01/FWS8789-SpecSheet.pdf			

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product: This product is intended for domestic use only.	
This product is interface for domestic use only.	
Design requirements that would support the use of the building product: The unit is intended for use in domestic bathrooms	
it is suitable for hot and cold water use, and with mains pressure systems	
The unit is bench-mounted	
nstallation requirements:	
The unit must be installed by a registered plumber.	
, , ,	

Maintenance requirement	S
-------------------------	---

	cleanable and impervious to moisture — cleaning shall be done in accordance with rer's cleaning instructions
Is the building prod	duct/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No	
If yes, description of	of the warning or ban under section 26:
	19/09/2023
Date:	17/07/2020

4