



CLASS 1

Building Product Information Sheet

Product name:				
Scarab Shower Tower 3 Function Handshower				
Product line (the product	luct line from which the product is customis	red):		
Scarab Range	Scarab Range			
Product description	and its intended use (measurements,	materials, usage):		
Shower tower and three function handshower set finshed in brushed gold Adjustable 990mm – 1650mm height x 350mm reach 15mm male wall connection Recommended working pressure 200 – 500kPa (balanced) Note: Since this unit has an integrated diverter, only a standard shower mixer is required				
Product identifier (if a	applicable):			
FWSC3050BG				
	\square Aotearoa New Zealand $oxtimes$ Oversec	25		
CONFIDENTIAL				
Legal and trading na	me of the importer (if applicable):			
WATERWARE SEI	RVICES LIMITED			
Address for service:				
STREET NAME 54 Stone	edon Drive	suburb East Tamaki		
CITY, COUNTRY Auckland	d, New Zealand	POSTCODE 2013		
Website:	https://www.waterware.co	o.nz/		
Email address:	info@waterware.co.nz			
Phone No. (if applicable):	09 273 9191			
NZBN (if applicable):	9429038721021			



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)		
F2 Hazardous building materials — F2.3.1		
G1 Personal Hygiene — G1.3.2		
G12 Water Supplies — G12.3.5		

Statement on how the building product is expected to contribute to compliance:		
WELS 3 Star 9L/min		
FWSC3050BG Specification Sheet:		
https://www.waterware.co.nz/wp-content/uploads/2022/01/FWSC3050BG-SpecSheet.pdf		

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:	
This product is intended for domestic use only.	
Design requirements that would support the use of the building product:	
The unit is intended for use in domestic bathrooms	
It is suitable for hot and cold water use, and with mains pressure systems	
The unit is wall-mounted	
Installation requirements:	
The unit must be installed by a registered plumber.	

Maintenance requirement	S
-------------------------	---

	cleanable and impervious to moisture — cleaning shall be done in accordance with rer's cleaning instructions
Is the building proc	duct/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No	
If yes, description of	of the warning or ban under section 26:
	19/09/2023
Date:	***************************************

4