



CLASS 1

## **Building Product Information Sheet**

Product name:			
Scarab Wall Mounted Basin Mixer			
Product line (the prod	uct line from which the product is customised):		
Scarab Range	Scarab Range		
Product description	and its intended use (measurements, materials, usage):		
Wall mounted basin mixer and spout for vessel basin installations in brushed gold with a knurled handle option 190-200mm reach Recommended working pressure 200 – 500kPa (balanced)			
Product identifier (if a	oplicable):		
FWSC8286BG, FV	VSC8286KBG		
Place of manufacture:	☐ Aotearoa New Zealand ☒ Overseas ne of the manufacturer(s):		
CONFIDENTIAL			
Legal and trading na	me of the importer (if applicable):		
WATERWARE SEI	RVICES LIMITED		
Address for service:			
STREET NAME 54 Stone	edon Drive suburb East Tamaki		
CITY, COUNTRY Aucklan	d, New Zealand POSTCODE 2013		
Website:	https://www.waterware.co.nz/		
Email address:	info@waterware.co.nz		
Phone No. (if applicable):	09 273 9191		
NZBN (if applicable):	9429038721021		



## Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
F2 Hazardous building materials — F2.3.1
G1 Personal Hygiene — G1.3.2
G12 Water Supplies — G12.3.5

## Statement on how the building product is expected to contribute to compliance:

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:	
This product is intended for domestic use only.	
Design requirements that would support the use of the building product:	
The unit is intended for use in domestic bathrooms	
It is suitable for hot and cold water use, and with mains pressure systems	
The unit is wall-mounted	
Installation requirements:	
The unit must be installed by a registered plumber.	

Maintenance requirement	S
-------------------------	---

	cleanable and impervious to moisture — cleaning shall be done in accordance with rer's cleaning instructions
Is the building prod	duct/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No	
If yes, description of	of the warning or ban under section 26:
	19/09/2023
Date:	17/07/2020

4