

CLASS 1

## Building Product Information Sheet

Product name:

Vaillant 15-37kW EcoTEC 90° Flue Elbow

Product line (the product line from which the product is customised):

Vaillant

Product description and its intended use (measurements, materials, usage):

Vaillant EcoTEC 15, 24 and 37kW 90° flue elbow.  
100mm diameter

Product identifier (if applicable):

GBVE90

Place of manufacture:  Aotearoa New Zealand  Overseas

Legal and trading name of the manufacturer(s):

CONFIDENTIAL

Legal and trading name of the importer (if applicable):

WATERWARE SERVICES LIMITED

Address for service:

STREET NAME 54 Stonedon Drive SUBURB East Tamaki

CITY, COUNTRY Auckland, New Zealand POSTCODE 2013

Website: <https://www.waterware.co.nz/>

Email address: [info@waterware.co.nz](mailto:info@waterware.co.nz)

Phone No. (if applicable): 09 273 9191

NZBN (if applicable): 9429038721021

**Relevant Building Code clauses:**

B2 Durability — B2.3.1 (c)  
E3 Internal moisture — E3.3.1  
F2 Hazardous building materials — F2.3.1

**Statement on how the building product is expected to contribute to compliance:**

OEM Specification Sheet:

<https://www.waterware.co.nz/wp-content/uploads/2021/06/Vaillant-Condensing-Boiler-Flyer.pdf>

Installation Instructions:

<https://www.waterware.co.nz/wp-content/uploads/2022/05/GBV15-37-Installation-Instructions.pdf>

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

**Limitations on the use of the building product:**

This product is intended for domestic use only.

**Design requirements that would support the use of the building product:**

Suitable for residential and commercial applications

**Installation requirements:**

The unit must be installed by an accredited technician.

**Maintenance requirements:**

**Is the building product/building product line subject to warning or ban under section 26?:**

Yes  No

**If yes, description of the warning or ban under section 26:**

**Date:** 19/09/2023