

CLASS 1

Building Product Information Sheet

Product name:

Copper Glands

Product line (the product line from which the product is customised):**Product description and its intended use** (measurements, materials, usage):15 and 20mm copper compression gland
10 pack and 100 pack options**Product identifier** (if applicable):

GLC15, GLC20, GLC15P, GLC20P

Place of manufacture: Aotearoa New Zealand Overseas**Legal and trading name of the manufacturer(s):**

CONFIDENTIAL

Legal and trading name of the importer (if applicable):

WATERWARE SERVICES LIMITED

Address for service:

STREET NAME 54 Stonedon Drive

SUBURB East Tamaki

CITY, COUNTRY Auckland, New Zealand

POSTCODE 2013

Website:<https://www.waterware.co.nz/>**Email address:**

info@waterware.co.nz

Phone No. (if applicable):

09 273 9191

NZBN (if applicable):

9429038721021



Relevant Building Code clauses:

B2 Durability — B2.3.1 (b)
F2 Hazardous building materials — F2.3.1
G10 Piped services — G10.3.1
G12 Water Supplies — G12.3.2, G12.3.7
H1 Energy efficiency — H1.3.3

Statement on how the building product is expected to contribute to compliance:

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

This product is intended for domestic use only.

Design requirements that would support the use of the building product:

The unit is intended for use in domestic bathrooms
It is suitable for hot and cold water use, and with mains pressure systems

Installation requirements:

The unit must be installed by a registered plumber.

Maintenance requirements:

Is the building product/building product line subject to warning or ban under section 26?:

Yes No

If yes, description of the warning or ban under section 26:

Date: 19/09/2023