



CLASS 1

Product name:

## **Building Product Information Sheet**

Oxford Pneumat	cic Slim In Wall Full Frame Cistern	
Product line (the produ	uct line from which the product is customised):	
Oxford		
Product description	and its intended use (measurements, materials, usage):	
Oxford pneumati	c slim in wall full frame cistern	
To be installed w	ith Kinetic faceplates and wall hung pans	
Designed with Pr	neumatic flushing mechanism	
Fully serviceable	via faceplate access	
6 colour options	for push panel faceplates	
Fits within a stan	dard 90mm wall cavity	
Recommended o	perating pressure 350-500kPa	
Product identifier (if a	pplicable):	
KI1001FF		
	☐ Aotearoa New Zealand ☒ Overseas ne of the manufacturer(s):	
	me of the importer (if applicable):	
WATERWARE SEI		
Address for service:		
STREET NAME 54 Stone	edon Drive	suburb East Tamaki
CITY, COUNTRY Auckland	d, New Zealand	POSTCODE 2013
Website:	https://www.waterware.co.nz/	
Email address:	info@waterware.co.nz	
Phone No. (if applicable):	09 273 9191	
NZBN (if applicable):	9429038721021	



Relevant	Buildina	Code	clauses:
----------	----------	------	----------

B2 Durability — B2.3.1 (c)				
<sup>-</sup> 2 Hazardous building materials — F2.3.1				
G1 Personal Hygiene — G1.3.2				
G12 Water Supplies — G12.3.5				

KI1001FF Specsheet:
https://www.waterware.co.nz/wp-content/uploads/2023/07/KI1001FF-SpecSheet.pdf
Installation Instructions:
https://www.waterware.co.nz/wp-content/uploads/2023/07/FS1001-G-InstallationR8312pdf

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:	
This product is intended for domestic use only.	
Design requirements that would support the use of the building product:	
The unit is intended for use in domestic bathrooms	
It is suitable for cold water use, and with mains pressure systems	
Installation requirements:	
The unit must be installed by a registered plumber.	
, 5	

_	
-	This product is cleanable and impervious to moisture — cleaning shall be done in accordance with
	This product is decirable and impervious to moisture — eleaning shall be done in decordance with
lί	the manufacturer's cleaning instructions
	0

le the building pr	oduct/building product	at line subject to war	ning or han under s	action 2/2:	
☐ Yes ⊠ N		ci ilile sobject to wai	ning of ban onder s	eciion 20:.	
If yes, description	n of the warning or ba	ın under section 26:			

Date: 19/09/2023

Maintenance requirements: