



CLASS 1

Building Product Information Sheet

| Product name: | | | | |
|---|---|--|--|--|
| Protank Plus Direct 500L Hot Water Cylinder | | | | |
| Product line (the product | luct line from which the product is customised): | | | |
| Protank Plus | | | | |
| Product description | and its intended use (measurements, materials, usage): | | | |
| The Protank 500L Hot Water Cylinder is used for high demand hot water production using either the indirect high output with the Habanero heat exchanger module, or as a standalone buffer tank for direct water heaters. Diameter: 700mm Height: 1852mm | | | | |
| | | | | |
| Product identifier (if a | npplicable): | | | |
| PTPS500 | | | | |
| | ☐ Aotearoa New Zealand ⊠ Overseas me of the manufacturer(s): | | | |
| CONFIDENTIAL | | | | |
| Legal and trading na | me of the importer (if applicable): | | | |
| WATERWARE SEI | RVICES LIMITED | | | |
| Address for service: | | | | |
| STREET NAME 54 Stonedon Drive East Tamaki | | | | |
| CITY, COUNTRY Aucklan | d, New Zealand 2013 | | | |
| Website: | https://www.waterware.co.nz/ | | | |
| Email address: | info@waterware.co.nz | | | |
| Phone No. (if applicable): | 09 273 9191 | | | |
| NZBN (if applicable): | 9429038721021 | | | |



| Relevant | Building | Code | clauses: |
|----------|----------|------|----------|
|----------|----------|------|----------|

| B2 Durability — B2.3.1 (c) | | | | |
|--|--|--|--|--|
| E3 Internal moisture — E3.3.1 | | | | |
| F2 Hazardous building materials — F2.3.1 | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Statement on how the building product is expected to contribute to compliance: | | | | |

Statement on how the building product is expected to contribute to compliance

| Protan | k Broc | hure: |
|--------|--------|-------|
|--------|--------|-------|

https://www.waterware.co.nz/wp-content/uploads/2023/07/Protank-Plus-Electric-Hot-Water-Cylinders-2023_LR.pdf

Technical Sheet:

https://www.waterware.co.nz/wp-content/uploads/2023/07/PTPS500-TechSheet.pdf

[•] options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)

[•] standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured

[•] physical properties of the building product

how the building product is intended to be used.

| This product is intended for domestic use only. |
|---|
| This product is interface for domestic use only. |
| |
| |
| |
| |
| Design requirements that would support the use of the building product: |
| Suitable for residential and commercial applications |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| Installation requirements: |
| The unit must be installed by an accredited technician. |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| Maintenance requirements: |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| Is the building product/building product line subject to warning or ban under section 26?: |
| ☐ Yes ⊠ No |
| If yes, description of the warning or ban under section 26: |
| |
| |
| |
| |
| Date: 19/09/2023 |