

CLASS 1

Building Product Information Sheet

Product name:

Pexal Straight Reducer 50 x 40mm

Product line (the product line from which the product is customised):

Pexal

Product description and its intended use (measurements, materials, usage):

Pexal brass straight reducer 50 x 40mm
Suitable for potable or non potable plumbing and central heating systems
Use only Valsir 'Pexal' or 'Mixal' multilayer pipe 50x4mm/40x3.5mm (OD x wall thickness)
Maximum working pressure 10bar @ 95°C
Conditional guarantee 10 years

Product identifier (if applicable):

PX130577

Place of manufacture: Aotearoa New Zealand Overseas**Legal and trading name of the manufacturer(s):**

CONFIDENTIAL

Legal and trading name of the importer (if applicable):

WATERWARE SERVICES LIMITED

Address for service:

STREET NAME 54 Stonedon Drive

SUBURB East Tamaki

CITY, COUNTRY Auckland, New Zealand

POSTCODE 2013

Website:<https://www.waterware.co.nz/>**Email address:**

info@waterware.co.nz

Phone No. (if applicable):

09 273 9191

NZBN (if applicable):

9429038721021

Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
E3 Internal moisture — E3.3.1
F2 Hazardous building materials — F2.3.1

Statement on how the building product is expected to contribute to compliance:

PX130577 Product Details:
<https://www.waterware.co.nz/products/heating-cooling/multi-layer-pipe-system/gas-crimp/pexal-straight-reducer-50x40mm/>

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

This product is intended for domestic use only.

Design requirements that would support the use of the building product:

Suitable for residential and commercial applications

Installation requirements:

The unit must be installed by an accredited technician.

Maintenance requirements:

Is the building product/building product line subject to warning or ban under section 26?:

Yes No

If yes, description of the warning or ban under section 26:

Date: 19/09/2023