

CLASS 1

Building Product Information Sheet

Product name:

Pexal Straight 16mm Adaptor 2mm x 2.25mm

Product line (the product line from which the product is customised):

Pexal

Product description and its intended use (measurements, materials, usage):

Pexal brass straight crimp 16x2.25mm to 16x2.0mm adaptor
Suitable for potable or non potable plumbing and central heating systems
Use only Valsir 'Pexal' or 'Mixal' multilayer pipe 16x2mm and 16x2.25mm (OD x wall thickness)
Maximum working pressure 10bar @ 95°C
Not suitable for solar applications

Product identifier (if applicable):

PX188101

Place of manufacture: Aotearoa New Zealand Overseas**Legal and trading name of the manufacturer(s):**

CONFIDENTIAL

Legal and trading name of the importer (if applicable):

WATERWARE SERVICES LIMITED

Address for service:

STREET NAME 54 Stonedon Drive SUBURB East Tamaki

CITY, COUNTRY Auckland, New Zealand POSTCODE 2013

Website: <https://www.waterware.co.nz/>**Email address:** info@waterware.co.nz**Phone No.** (if applicable): 09 273 9191**NZBN** (if applicable): 9429038721021

Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
E3 Internal moisture — E3.3.1
F2 Hazardous building materials — F2.3.1

Statement on how the building product is expected to contribute to compliance:**PX188101 Product Details:**

<https://www.waterware.co.nz/products/heating-cooling/multi-layer-pipe-system/multi-layer-accessories/pexal-straight-16mm-adaptor-2mm-x-2-25mm/>

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

This product is intended for domestic use only.

Design requirements that would support the use of the building product:

Suitable for residential and commercial applications

Installation requirements:

The unit must be installed by an accredited technician.

Maintenance requirements:

Is the building product/building product line subject to warning or ban under section 26?:

Yes No

If yes, description of the warning or ban under section 26:

Date: 19/09/2023