

CLASS 1

Building Product Information Sheet

Product name:

Tita-Fix Non-Insulated 40mm Pipe

Product line (the product line from which the product is customised):

Tita-Fix

Product description and its intended use (measurements, materials, usage):

Tita-fix 40mm water pipe
(5m bar/25m Coil)
Suitable for potable or non potable plumbing and central heating systems
40mm OD x 3.5mm wall thickness
Aluminium inner layer thickness 0.5mm
Maximum working pressure 10bar @ 95°C
Also available in 5m bar
Not suitable for solar applications
Must be protected from UV exposure
Conditional guarantee 10 years

Product identifier (if applicable):

TF15454000, TF15464000

Place of manufacture: Aotearoa New Zealand Overseas**Legal and trading name of the manufacturer(s):**

CONFIDENTIAL

Legal and trading name of the importer (if applicable):

WATERWARE SERVICES LIMITED

Address for service:

STREET NAME 54 Stonedon Drive SUBURB East Tamaki

CITY, COUNTRY Auckland, New Zealand POSTCODE 2013

Website:<https://www.waterware.co.nz/>**Email address:**

info@waterware.co.nz

Phone No. (if applicable):

09 273 9191

NZBN (if applicable):

9429038721021

Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
E3 Internal moisture — E3.3.1
F2 Hazardous building materials — F2.3.1

Statement on how the building product is expected to contribute to compliance:

Tita-fix Specification Sheet:
<https://www.waterware.co.nz/wp-content/uploads/2021/06/Tita-fix-Specification-Sheet.pdf>

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

This product is intended for domestic use only.

Design requirements that would support the use of the building product:

Suitable for residential and commercial applications

Installation requirements:

The unit must be installed by an accredited technician.

Maintenance requirements:

Is the building product/building product line subject to warning or ban under section 26?:

Yes No

If yes, description of the warning or ban under section 26:

Date: 19/09/2023