



CLASS 1

Building Product Information Sheet

Product name:						
Tita-Gas Straight Joiner 16x16-32x32mm						
Product line (the product	uct line from which the product is custom	ised):				
Titafix	Titafix					
Product description	and its intended use (measurements	materials, usage):				
Titagas brass stra	night crimp joiner 16x16-32	x32mm				
Suitable for the r	Suitable for the reticulation of natural gas and LPG up to 70kPa					
Use only RBM 'Ti	tagas' multilayer pipe 16x2	mm (OD x wall thickness)				
Product identifier (if a	pplicable):					
TG19571600, TG	19572000, TG19572600, TG	519573200				
Place of manufacture:	☐ Aotearoa New Zealand ☒ Overse	rgs				
	ne of the manufacturer(s):	-				
CONFIDENTIAL						
	me of the importer (if applicable):					
WATERWARE SEI	RVICES LIMITED					
Address for service:						
STREET NAME 54 Stone	edon Drive	^{SUBURB} East Tamaki				
CITY, COUNTRY Auckland	d, New Zealand	POSTCODE 2013				
	//	,				
Website:	https://www.waterware.c	o.nz/				
Email address:	info@waterware.co.nz					
Phone No. (if applicable):	09 273 9191					
NZBN (if applicable):	9429038721021					



Relevant	Building	Code	clauses:
----------	-----------------	------	----------

B2 Durability — B2.3.1 (c)				
E3 Internal moisture — E3.3.1				
F2 Hazardous building materials — F2.3.1				

Statement on how the building product is expected to contribute to compliance:

Tita-Fix Product Guide:				
https://www.waterware.co.nz/wp-content/uploads/2021/06/Tita-fix-product-guide-2014v1.pdf				

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

This product is intended for domestic use only.
This product is interface for domestic use only.
Design requirements that would support the use of the building product:
Suitable for residential and commercial applications
Installation requirements:
The unit must be installed by an accredited technician.

Maintenance requirements:
Is the building product/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No
If yes, description of the warning or ban under section 26:
Date: 19/09/2023