



CLASS 1

Product name:

Building Product Information Sheet

Tita-Gas Elbow 16x16 – 32x32mm					
Product line (the product line from which the product is customised):					
Titafix					
Product description	and its intended use (measurement	s, materials, usage):			
Titagas brass crimp elbow 16x16 – 32x32mm Suitable for the reticulation of natural gas and LPG up to 70kPa Use only RBM 'Titagas' multilayer pipe					
Product identifier (if a	applicable):				
TG19601600, TG	19602000, TG19602600, T	G19603200			
	\square Aotearoa New Zealand $oximes$ Overs	eas			
CONFIDENTIAL					
Legal and trading na	me of the importer (if applicable):				
WATERWARE SE	RVICES LIMITED				
Address for service:					
STREET NAME 54 Stonedon Drive		East Tamaki			
CITY, COUNTRY Aucklan	d, New Zealand	POSTCODE 2013			
Website:	https://www.waterware.c	co.nz/			
Email address:	info@waterware.co.nz				
Phone No. (if applicable):	09 273 9191				
NZBN (if applicable):	9429038721021				



Relevant	Building	Code	clauses:
----------	-----------------	------	----------

B2 Durability — B2.3.1 (c)					
E3 Internal moisture — E3.3.1					
F2 Hazardous building materials — F2.3.1					

Statement on how the building product is expected to contribute to compliance:

Tita-Fix Product Guide:					
https://www.waterware.co.nz/wp-content/uploads/2021/06/Tita-fix-product-guide-2014v1.pdf					

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

This product is intended for domestic use only.
This product is interface for domestic use only.
Design requirements that would support the use of the building product:
Suitable for residential and commercial applications
Installation requirements:
The unit must be installed by an accredited technician.

Maintenance requirements:
Is the building product/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No
If yes, description of the warning or ban under section 26:
Date: 19/09/2023