



CLASS 1

Product name:

Building Product Information Sheet

Caleffi 5216 15-	25mm Tempering Valve	e with Cold Check Valve				
Product line (the product	uct line from which the product is a	customised):				
Caleffi						
Product description	and its intended use (measure	ments, materials, usage):				
For use on high demand of Recommended working purion connections with of Temperature range adjustemperature control +/- Max. operating temperat A minimum 10kPa dynam Use 'Low pressure tempe NOT for use at the deliver	gh flow 5216 series tempering valve with 15-25mm unions or use on high demand domestic hot water systems for a flow rate of up to 35L/min ecommended working pressure 100 – 500kPa (balanced) nion connections with o-ring seal and cold check valve only emperature range adjustable 30 – 65°C emperature control +/- 2°C ax. operating temperature 85°C minimum 10kPa dynamic system pressure is required for correct valve function excluding any system losses in pipework etc. see 'Low pressure tempering' version for systems less than 100kPa. OT for use at the delivery output.					
Product identifier (if a	pplicable):					
TV15, TV20, TV2	5					
	\square Aotearoa New Zealand \boxtimes C	Overseas				
CONFIDENTIAL						
Legal and trading na	me of the importer (if applicable)	:				
WATERWARE SEI	RVICES LIMITED					
Address for service:						
STREET NAME 54 Stonedon Drive		East Tamaki				
CITY, COUNTRY Auckland	d, New Zealand	POSTCODE 2013				
Website:	https://www.waterwa	re.co.nz/				
Email address:	info@waterware.co.na	2				
Phone No. (if applicable):	09 273 9191					
NITRAL (IC. 17. 11.	0420020724024					
NZBN (if applicable):	9429038721021					



	Relevant	Building	Code	clauses:
--	----------	-----------------	------	----------

B2 Durability — B2.3.1 (c)
E3 Internal moisture — E3.3.1
F2 Hazardous building materials — F2.3.1

Statement on how the building product is expected to contribute to compliance:

Caleffi 5216 Series Specification Sheet:
https://www.waterware.co.nz/wp-content/uploads/2021/06/Caleffi-TV15_20_25.pdf
inteps.//www.waterware.co.nz/wp-content/uploads/2021/06/Calem-1v15_20_25.pdf

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:
This product is intended for domestic use only.
Design requirements that would support the use of the building product:
Suitable for residential and commercial applications
netallation requirements:
Installation requirements:
Installation requirements: The unit must be installed by an accredited technician.

Maintenance requirements:
Is the building product/building product line subject to warning or ban under section 26?:
□ Yes ⊠ No
If yes, description of the warning or ban under section 26:
19/09/2023 Date: