



CLASS 1

## **Building Product Information Sheet**

Product name:		
Caleffi 252 15-2	20mm Solar Tempering Valve with	Low Loss Cold Check Valve
Product line (the prod	duct line from which the product is customised):	
Caleffi		
Product description	and its intended use (measurements, material	's, usage):
Recommended working I Union connections with o Temperature range adjus Temperature control +/- Max. operating temperal Notes; A minimum 20kPa NOT for use at the delive Solar 2521 series temper	- 2°C ature 100°C ta dynamic system pressure is required for correct ery output. Refer 'Point of use tempering valves' ring valve with 15-20mm unions valves are indent only – contact us for more info	r improved flow valve function excluding any system losses in pipework etc
TV252140L, TV2		
Legal and trading nar	Aotearoa New Zealand Overseas  The manufacturer(s):  The manufacturer (if applicable):	
WATERWARE SE		
Address for service:		
STREET NAME 54 Stone	edon Drive	East Tamaki
CITY, COUNTRY Aucklan	nd, New Zealand	POSTCODE 2013
Website:	https://www.waterware.co.nz/	
Email address:	info@waterware.co.nz	
Phone No. (if applicable):	: 09 273 9191	
NZBN (if applicable):	9429038721021	



## Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
E3 Internal moisture — E3.3.1
F2 Hazardous building materials — F2.3.1

## Statement on how the building product is expected to contribute to compliance:

Caleffi 2521 Series Specification Sheet:
https://www.waterware.co.nz/wp-content/uploads/2021/06/TV2521-OEM-Spec.pdf
Installation Instructions:
https://www.waterware.co.nz/wp-content/uploads/2021/06/TV252-Tempering-Valve- Installation-Manual.pdf

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

This product is intended for domestic use only.
This product is interface for domestic ascorny.
Design requirements that would support the use of the building product:
Suitable for residential and commercial applications
Installation requirements:
The unit must be installed by an accredited technician.

Maintenance requirements:		
Is the building product/building product line subject to warning or ban under section 26?:		
□ Yes ⊠ No		
If yes, description of the warning or ban under section 26:		
19/09/2023 Date:		