



CLASS 1

Product name:

Building Product Information Sheet

Luci Wall Hung Pan with Slim Seat (rimless) Gloss White					
Product line (the product line from which the product is customised):					
Luci Range	Luci Range				
Product description and	l its intended use (measuremen	nts, materials, usage):			
Compact 560mm de Slim profile soft clos compatible so can b	eep design se resin seat with a qui se swapped over, pleas for increased flush velo	vall hung pan for use with concealed in-wall cisterns; ck release stainless steel hinge (the thick seat is also se specifiy) ocity and excellent clearing capability			
Product identifier (if applic	able):				
WDLU300RS					
Place of manufacture:	Aotearoa New Zealand 🗵 Over of the manufacturer(s):	rseas			
CONFIDENTIAL					
Legal and trading name	of the importer (if applicable):				
WATERWARE SERVI	CES LIMITED				
Address for service:					
STREET NAME 54 Stonedon Drive		suburb East Tamaki			
city, COUNTRY Auckland, New Zealand		POSTCODE 2013			
Website: htt	:ps://www.waterware.	.co.nz/			
Email address: inf	o@waterware.co.nz				
Phone No. (if applicable): 09	273 9191				
NZBN (if applicable): 94	29038721021				



Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)			
F2 Hazardous building materials — F2.3.1			
G1 Personal Hygiene — G1.3.2			
G12 Water Supplies — G12.3.5			

Statement on how the building product is expected to contribute to compliance:		
WELS rating: 4 Star 4.5L /full flush or 3L /half flush		
WDLU300RS Specification Sheet:		
https://www.waterware.co.nz/wp-content/uploads/2022/01/WDLU300RS-SpecSheet.pdf		

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:
This product is intended for domestic use only.
Design requirements that would support the use of the building product:
The unit is intended for use in domestic bathrooms
It is suitable for hot and cold water use, and with mains pressure systems
Installation requirements:
The unit must be installed by a registered plumber.

Maintenance requirement	S
-------------------------	---

	cleanable and impervious to moisture — cleaning shall be done in accordance with rer's cleaning instructions
Is the building prod	duct/building product line subject to warning or ban under section 26?:
☐ Yes ⊠ No	
If yes, description of	of the warning or ban under section 26:
	19/09/2023
Date:	17/07/2020

4